

Supplementary Information

Synthesis and Field Evaluation of Synthetic Blends of the Sex Pheromone of *Crocidozema aporema* (Lepidoptera: Tortricidae) in Soybean

Andrés González,^{*a,b} Paula Altesor,^a Leticia Alves,^c Paola Liberati,^a Horacio Silva,^d Juan Ramos,^c Ignacio Carrera,^c David González,^c Gustavo Seoane,^c Carmen Rossini,^a Enrique Castiglioni^d and Daniela Gamenara^c

^aLaboratorio de Ecología Química and ^cDepartamento de Química Orgánica, Facultad de Química, Universidad de la República, Gral. Flores, 2124, CP 11800, Montevideo, Uruguay

^bInstituto de Investigaciones Biológicas Clemente Estable, Av. Italia, 3318, CP 11600, Montevideo, Uruguay

^dDepartamento de Protección Vegetal, Facultad de Agronomía, EEMAC, Universidad de la República, Ruta 3, km 363, CP 60000, Paysandú, Uruguay




Figure S1. ¹H NMR spectrum (400 MHz, CDCl₃) of (Z)-dodec-7-en-9-ynyl acetate (**4**).




Figure S2. ^{13}C NMR spectrum (125 MHz, CDCl_3) of (*Z*)-dodec-7-en-9-ynyl acetate (**4**).




Figure S3. EI-MS spectrum of (*Z*)-dodec-7-en-9-ynyl acetate (**4**).




Figure S4. ^1H NMR spectrum (400 MHz, CDCl_3) of (7Z,9Z)-dodeca-7,9-dienyl acetate.




Figure S5. ^{13}C NMR spectrum (125 MHz, CDCl_3) of (7Z,9Z)-dodeca-7,9-dienyl acetate.




Figure S6. EI-MS spectrum of (7Z,9Z)-dodeca-7,9-dienyl acetate.




Figure S7. ^1H NMR spectrum (400 MHz, CDCl_3) of (7Z,9Z)-dodeca-7,9-dien-1-ol.




Figure S8. ¹³C NMR spectrum (125 MHz, CDCl₃) of (7Z,9Z)-dodeca7,9-dien-1-ol.




Figure S9. EI-MS spectrum of (7Z,9Z)-dodeca7,9-dien-1-ol.